Diagnosis report of



2011 FORD GRAND C-MAX Titanium

Car Details

| Color: Grey | CO ₂ NEDC Emission: 129 g/km |
|---------------------------------|-----------------------------------------|
| Fuel Type: Diesel | CO ₂ WLTP Emission: 0 |
| Body Type: Minivan | Low CO ₂ Emissions: Yes |
| Number Of Doors: 4 | Engine size: 1.6 l |
| Number Of Seats: 7 | Cylinders: 4 |
| Mileage: 217 714 km | Power: 85 kw, 116 Hp |
| VIN Code: WF0HXXWPBHAR12326 | Fuel Consumption: 4.9 I/100km |
| Gearbox: Manual | Tire size: 215/55 16 |
| Drive type: FWD | Longo Stock ID: N526608 |
| Next technical inspection date: | |
| | |

Car photos

Longo Certified



Diagnosis report of



2011 FORD GRAND C-MAX Titanium

Diagnosis details

Date of completion: 27.08.2024

Mileage on completion date: 217 714 km

Checked by Longo Shared Service certified diagnostics: Arnas S., Eimantas A., Vytautas B.

This car has been thoroughly checked according to **Longo 150-point checklist** which covers Body exterior, Interior, and Mechanical condition. We can confirm that it has never been involved in major accidents and has had regular maintenance, as well as mandatory roadworthiness tests in the country of export.

Please note that certain general wear and tear issues are considered acceptable and may not be repaired.

Summary of diagnosed issues

During the comprehensive diagnosis conducted by Longo, 12 issues were identified in the vehicle. 9 of these issues were rectified. 3 of the diagnosed issues are deemed to be fair wear and tear.

| INTERIOR | EXTERIOR | MECHANICAL |
|----------------------|----------------------|--------------------|
| 4 issues rectified | 2 issues rectified | 3 issues rectified |
| 1 fair wear and tear | 2 fair wear and tear | |

Diagnosis process







Diagnosed issues repaired



Interior

1. INSIDE: Trims - condition





2. SEATS: All seats - condition

Change seat side plastic





3. SEATS: All seats - condition

Change seat side plastic



4. SEATS: All seats - condition

Sew front seat



Exterior

1. REAR: Rear bumper - condition and alignment

Rear bumper repair



2. LIGHTS: Rear lights (brake, fog, indicator) - basic functioning, damage, color

Change rear lights



Mechanical

1. OTHER:

Charge the battery

2. OTHER:

Engine oil & filter change

3. OTHER:

Change tyres



Fair wear and tear



Interior

1. INSIDE: Carpets - condition



Exterior

1. FRONT: Front bumper - condition and alignment



2. FRONT: Hood - visual damage







Longo 150-point checklist



Every vehicle is carefully examined according to Longo's comprehensive 150-point checklist, ensuring a thorough assessment of the car's interior, exterior, and mechanical condition. Depending on the factors such as condition, mileage, and specifications, additional checks may be included or certain points from the list may be omitted.

| 3. Record the transmission type 4. Record the registration number 5. Record the VIN number 5. Record the VIN number 5. Check passenger chair a 5. Check pass | airbag setting and reset to default operation of buttons on ion of controls/buttons A rear) - functioning functioning (front & rear) stion and integrity of attachment ad condition ation and integrity of attachment opening and condition stem - operation stimity sensors - functioning ems - functioning ctors - functioning oning ning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) and condition | 102. Check timing belt or chain for integrity 103. Check timing belt or chain for any audible signs of problems (start & while idling) 104. Check for any signs of leakage of any liquids 105. Check level of coolant or anti-freeze in the tank 106. Add coolant if necessary 107. Check if coolant tank is filled with anti-freeze 108. Ensure engine cooling system is free of visual contamination 109. Check quality of brake fluid using the testing pen 110. Check the level of brake fluid using the testing pen 110. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake pads for integrity and proper attachment 127. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) 129. Check the integrity of brake pipes (oxydation, misshaping and |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4. Record the registration number 5. Record the VIN number 5. Check passenger chair a 6. Record the Mileage 7. Record the mileage 7. Record the mileage 7. Record the gear the car was manufactured 8. Record the date of first registration 9. Record the date/mileage of the last service 10. Record the date/mileage of the last service 10. Record the date/mileage of the last service 10. Record the date/mileage of the next service due 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning a condition 13. Front light height adjustment system - functioning a condition 14. Lights on car sides - functioning a condition 15. Rear lights (brake, fog, indicator) - functioning a condition 16. Numberplate lighting system - functioning a condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition and alignment 21. Front grill - condition 22. Hood - visual damage 23. Hood opening a holding mechanism 24. Hood sound insulation for condition 25. Fier wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Integrity of front subframe 28. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, alignment adjustment mechanism. | and condition airbag setting and reset to default operation of buttons on ion of controls/buttons arear) - functioning functioning (front & rear) attion and integrity of attachment and condition attion and integrity of attachment opening and condition stem - operation dimity sensors - functioning ems - functioning ctors - functioning oning oning oning oning oning onity and locking mechanism onisms - functioning (driver & passenger) and locking mechanism on and condition | while idling) 104. Check for any signs of leakage of any liquids 105. Check level of coolant or anti-freeze in the tank 106. Add coolant if necessary 107. Check if coolant tank is filled with anti-freeze 108. Ensure engine cooling system is free of visual contamination 109. Check quality of brake fluid using the testing pen 110. Check the level of brake fluid color (if dark, replace) 112. Check powersteering fluid color (if dark, replace) 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre prossure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 55. Check passenger chair a chair a chair a chair a condition; 56. Record the mileage chair a | airbag setting and reset to default operation of buttons on ion of controls/buttons A rear) - functioning functioning (front & rear) stion and integrity of attachment ad condition ation and integrity of attachment opening and condition stem - operation stimity sensors - functioning ems - functioning ctors - functioning oning ning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) and condition | 105. Check level of coolant or anti-freeze in the tank 106. Add coolant if necessary 107. Check if coolant tank is filled with anti-freeze 108. Ensure engine cooling system is free of visual contamination 109. Check quality of brake fluid using the testing pen 110. Check the level of brake fluid 111. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre profile 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 6. Record the mileage 7. Record the year the car was manufactured 7. Record the year the car was manufactured 7. Record the date of first registration 9. Record the date/mileage of the last service 9. Car horn - operation 10. Record the date/mileage of the next service due 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning & condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition and alignment 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Rear window wiper rubber and handle 27. Integrity of front subframe 28. Rear window wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition 31. Tow hitch (attachment, removal mechanism, external light connector. 31. Tow hitch (attachment, removal mechanism, external light connector. 32. Integrity lighting - basis of adjustment mechanism. | operation of buttons on ion of controls/buttons a rear) - functioning functioning (front & rear) stion and integrity of attachment ad condition stion and integrity of attachment opening and condition stem - operation stimity sensors - functioning ems - functioning ctors - functioning oning ning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) and condition | 106. Add coolant if necessary 107. Check if coolant tank is filled with anti-freeze 108. Ensure engine cooling system is free of visual contamination 109. Check quality of brake fluid using the testing pen 110. Check the level of brake fluid 111. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the integrity and proper attachment of the wheelhouse 123. Check the integrity and the proper attachment of the wheelhouse 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 7. Record the year the car was manufactured 8. Record the date of first registration 9. Record the date/mileage of the last service 9. Car horn - operation 10. Record the date/mileage of the next service due 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Integrity of front subframe 28. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, adjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, and light in the rearrange and increase and increa | on ion of controls/buttons A rear) - functioning functioning (front & rear) stion and integrity of attachment and condition stion and integrity of attachment depening and condition stem - operation dimity sensors - functioning tens - functioning ctors | 107. Check if coolant tank is filled with anti-freeze 108. Ensure engine cooling system is free of visual contamination 109. Check quality of brake fluid using the testing pen 110. Check the level of brake fluid 111. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction of the color than the color of the |
| 8. Record the date of first registration 9. Record the date/mileage of the last service 59. Car horn - operation 10. Record the date/mileage of the last service 40. Window wipers (front & 59. Car horn - operation 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning & condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition and alignment 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Seat betts - functioning a condition 28. Rear window integrity 29. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector. 31. Integrity of lights (attachment, removal mechanism, external light connector.) 32. Integrity of lights (attachment, removal mechanism, external light connector.) 33. Integrity lights (attachment, removal mechanism, external light connector.) 34. Integrity lights (attachment, removal mechanism, external light connector.) 35. Integrity lights (attachment, removal mechanism, external light connector.) 36. Exterior side mirrors - eadjustment mechanism.) | ion of controls/buttons A rear) - functioning functioning (front & rear) attion and integrity of attachment and condition attion and integrity of attachment appening and condition stem - operation dimity sensors - functioning cers - functioning (front & rear) cert - functioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) and condition | 108. Ensure engine cooling system is free of visual contamination 109. Check quality of brake fluid using the testing pen 110. Check the level of brake fluid 111. Check the level of brake fluid 111. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre prossure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and proper attachment 126. Check the brake pads for thickness 127. Check the integrity of brake hoses (signs of cracks from dehydration misshaping and leakages) |
| 9. Record the date/mileage of the last service 10. Record the date/mileage of the next service due 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning & condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Integrity of front subframe 28. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, all Interior lighting - hasir failustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, all Interior lighting - hasir failustment mechanism. | functioning (front & rear) stion and integrity of attachment and condition stion and integrity of attachment stion and integrity of attachment stem - operation dimity sensors - functioning sems - functioning ctors - functioning ning ning ning ning ning nictioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 109. Check quality of brake fluid using the testing pen 110. Check the level of brake fluid 111. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre prossure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and proper attachment 127. Check the brake pads for integrity and proper attachment 128. Check the brake pads for thickness 129. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 10. Record the date/mileage of the next service due 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning & condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Integrity of front subframe 28. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, all Interior lighting - has in further adjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, all Interior lighting - has in further adjustment mechanism. | functioning (front & rear) ation and integrity of attachment and condition attion and integrity of attachment appening and condition stem - operation dimity sensors - functioning ems - functioning ctors - functioning oning ning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 110. Check the level of brake fluid 111. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction of the check tyre profile of the dark tyre pressure of the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check the additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system of the check the drivetrain attachment to engine for potential leaks of the check the integrity and the proper attachment of the wheelhouse of the check the wheelhouse for potential leaks of the check the brake disks for integrity and proper attachment of the wheelhouse of the check the brake pads for integrity and proper attachment of the check the brake pads for thickness of cracks from dehydration, misshaping and leakages) |
| 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning & condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Seat beating system - function 27. All seats - condition 28. Rear windows wiper rubber and handle 39. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector. 81. Interior lighting - has influition in the pass of the pass | functioning (front & rear) ation and integrity of attachment and condition attion and integrity of attachment appening and condition stem - operation dimity sensors - functioning ems - functioning ctors - functioning oning ning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 111. Check powersteering fluid color (if dark, replace) 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction of the check tyre profile of tyres) 115. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and proper attachment 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 11. Check car's maintenance history and manufacturer recall and safety campaigns 12. Front lights (city, regular and full headlight, fog, indicator) - functioning & condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. All seats - condition 28. Rear windows wiper rubber and handle 29. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, all Interior lighting - has informed adjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, all Interior lighting - has informed adjustment mechanism. | functioning (front & rear) ation and integrity of attachment and condition attion and integrity of attachment appening and condition stem - operation dimity sensors - functioning ems - functioning ctors - functioning oning ning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 112. Check powersteering fluid level 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction of the check tyre profile of the check tyre pressure of the check tyre pressure of the check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) of the check additional set of tires of tires of tires of tires of tires of tires of the check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system of the check the drivetrain attachment to engine for potential leaks of the check the integrity and the proper attachment of the wheelhouse of the wheelhouse of the check the wheelhouse of the check the wheelhouse of the check the check the brake disks for integrity and potential oxidation of the check the brake pads for integrity and proper attachment of the check the brake pads for thickness of cracks from dehydration, misshaping and leakages) |
| 12. Front lights (city, regular and full headlight, fog, indicator) - functioning & condition 13. Front light height adjustment system - functioning & condition 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 19. Front bumper - condition 19. Front bumper - condition 19. Front grill - condition 19. Front | and condition stion and integrity of attachment opening and condition stem - operation dimity sensors - functioning ems - functioning ctors - functioning oning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 113. Check oil level 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and proper attachment 127. Check the brake pads for integrity and proper attachment 128. Check the brake pads for thickness 129. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. All seats - condition 28. Rear window integrity 29. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector. | pening and condition stem - operation wimity sensors - functioning tems - functioning tens - functioning tens - functioning oning ning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) and condition | 114. Check if tyres are properly fitted (should be fitted in driving direction 115. Check tyre profile 116. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and proper attachment 127. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 14. Lights on car sides - functioning & condition 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 19. Windscreen windows wiper rubbers and handles - condition 19. Windscreen windows wiper rubbers and handles - condition 10. 12-volt and USB connect 11. Front grill - condition 10. 12-volt and USB connect 12. Front grill - condition 10. 12-volt and USB connect 13. Heating system - function 14. Seat heating system - function 15. Seatbelts - functioning 16. Window washer fluid level (and adequate winter washer fluid) 19. Window washer fluid level (and adequate winter washer fluid) 10. Seat adjustment mechan 17. All seats - condition 10. Rear window wintegrity 10. Rear windows wiper rubber and handle 10. Rear bumper - condition and alignment 10. Exterior side mirrors - eadjustment mechanism 11. Tow hitch (attachment, removal mechanism, external light connector. 18. Interior lighting - hasir fluid light li | opening and condition stem - operation simity sensors - functioning ems - functioning ctors - functioning oning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 115. Check tyre profile 116. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 15. Rear lights (brake, fog, indicator) - functioning & condition 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. All seats - condition 28. Rear window integrity 29. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector. 31. Integrity of light in the first of the first own in the properties of the first own in the properties of the passing of the first own in the properties of the passing of all subtrement mechanism. | opening and condition stem - operation simity sensors - functioning ems - functioning ctors - functioning oning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 115. Check tyre profile 116. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 16. Numberplate lighting system - functioning & condition 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 19. Windscreen windows wiper rubbers and handles - condition 19. Parking assistance system - function 19. Front bumper - condition and alignment 10. 12-volt and USB connect 11. Front grill - condition 11. Heating system - function 12. Hood - visual damage 12. Aircon system - function 13. Window heating mechan 14. Seat heating system - function 15. Seatbelts - functioning at the function of t | stem - operation dimity sensors - functioning ems - functioning ctors - functioning oning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 116. Check tyre pressure 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 17. Rear reflectors - condition 18. Windscreen integrity - free from any damage that would exclude the vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 19. Windscreen windows wiper rubbers and handles - condition 19. Front bumper - condition and alignment 10. 12-volt and USB connect 12. Front grill - condition 11. Heating system - function 12. Hood - visual damage 12. Aircon system - function 12. Hood opening & holding mechanism 13. Window heating mechan 14. Seat heating system - function 15. Seatbelts - functioning 16. Seat adjustment mechan 16. Window washer fluid level (and adequate winter washer fluid) 17. All seats - condition 17. All seats - condition 17. All seats - condition 18. Rear window integrity 17. All seats - condition 18. Door handles - operation 19. Rear windows wiper rubber and handle 19. Electronic opening of all 19. Rear bumper - condition and alignment 19. Electronic identifiers - hasir fluid integrity 19. Integrity of front subframe 19. Exterior side mirrors - eadjustment mechanism 19. Tow hitch (attachment, removal mechanism, external light connector, 19. Integrity lighting - hasir fluid integrity 29. Rear windows wiper rubber and handle 20. Exterior side mirrors - eadjustment mechanism 21. Tow hitch (attachment, removal mechanism, external light connector, 21. Integrity lighting - hasir fluid integrity 29. Rear windows wiper rubber and handle 21. Integrity lighting - hasir fluid integrity 29. Rear windows wiper rubber and handle 29. Exterior lighting - hasir fluid integrity 29. Rear windows wiper rubber and handle 29. Exterior lighting - hasir fluid integrity 29. Rear windows wiper rubber and handle 29. Exterior lighting - hasir fluid integrity 29. Rear windows wiper rubber and handle 29. Exterior lighting - hasir fluid integrity 29. Rear windows wiper rubber and handle 29. Exterior lighting - hasir fluid integrity | stem - operation dimity sensors - functioning ems - functioning ctors - functioning oning ning nism - functioning (front & rear) inctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 117. Check the additional set of tyres - check for any signs of cracks due to dehydration (if there is an additional set of tyres) 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| vehicle from MOT test 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition and alignment 21. Front grill - condition 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Ali seat seating system - function 28. Rear window integrity 29. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector. | ems - functioning ctors - functioning ching ning ning nism - functioning (front & rear) nctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) | 118. Check additional set of tires - Check tire profile (if there is additional set of tires) 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 19. Windscreen windows wiper rubbers and handles - condition 20. Front bumper - condition and alignment 21. Front grill - condition 22. Hood - visual damage 23. Hood opening & holding mechanism 24. Hood sound insulation for condition 25. Fire wall for condition 26. Window washer fluid level (and adequate winter washer fluid) 27. Integrity of front subframe 27. All seats - condition 27. All seats - condition 27. All seats - condition 27. Peact window washer fluid level (and adequate winter washer fluid) 27. Integrity of front subframe 27. All seats - condition 28. Rear window integrity 29. Rear windows wiper rubber and handle 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, | ctors - functioning coning con | 119. Check the wheels for proper attachment (all bolts present and with correct tension) 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 21. Front grill - condition 71. Heating system - function 22. Hood - visual damage 72. Aircon system - function 73. Window heating mechanism 73. Window heating mechanism 74. Seat heating system - function 75. Seatbelts - functioning at the foliation of the foli | oning ning nism - functioning (front & rear) nctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) and condition | 120. Check the integrity and proper attachment of drivetrain system 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 21. Front grill - condition 71. Heating system - function 22. Hood - visual damage 72. Aircon system - function 73. Window heating mechanism 73. Window heating mechanism 74. Seat heating system - function 75. Seatbelts - functioning at the foliation of the foli | oning ning nism - functioning (front & rear) nctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) and condition | 121. Check the drivetrain attachment to engine for potential leaks 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 22. Hood - visual damage 72. Aircon system - function 23. Hood opening & holding mechanism 73. Window heating mecha 24. Hood sound insulation for condition 74. Seat heating system - furction 75. Seatbelts - functioning a 26. Window washer fluid level (and adequate winter washer fluid) 76. Seat adjustment mechan 27. Integrity of front subframe 77. All seats - condition 78. Door handles - operation 29. Rear window integrity 78. Door handles - operation 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, 81. Interior lighting - hasir flaght connector, 81. Interior lighting - hasir flaght connector, 83. Interior lighting - hasir flaght connector, 84. Interior lighting - hasir flaght connector, 85. Interior lighting - hasir flaght connector, 86. Interior lighting - hasir flaght connector, 87. Interior lighting - hasir flaght connector, 87. Interior lighting - hasir flaght connector. | ning nism - functioning (front & rear) nctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) n and condition | 122. Check the integrity and the proper attachment of the wheelhouse 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 23. Hood opening & holding mechanism 73. Window heating mecha 24. Hood sound insulation for condition 74. Seat heating system - fu 25. Fire wall for condition 75. Seatbelts - functioning a 26. Window washer fluid level (and adequate winter washer fluid) 76. Seat adjustment mecha 27. Integrity of front subframe 77. All seats - condition 28. Rear window integrity 78. Door handles - operation 29. Rear windows wiper rubber and handle 79. Electronic opening of all 30. Rear bumper - condition and alignment 30. Exterior side mirrors - e adjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, 81. Interior lighting - hasir f | nism - functioning (front & rear) Inctioning (driver & passenger) Inctioning (driver & passenger) Inctioning (driver & passenger) In and condition | 123. Check the wheelhouse for potential leaks 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 24. Hood sound insulation for condition 74. Seat heating system - fu 25. Fire wall for condition 75. Seatbelts - functioning a 26. Window washer fluid level (and adequate winter washer fluid) 76. Seat adjustment mechan 27. Integrity of front subframe 77. All seats - condition 28. Rear window integrity 78. Door handles - operation 29. Rear windows wiper rubber and handle 79. Electronic opening of all 30. Rear bumper - condition and alignment 80. Exterior side mirrors - eadjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector. 81. Interior lighting - hasir factors. | nctioning (driver & passenger) and locking mechanism nisms - functioning (driver & passenger) an and condition | 124. Check for sings of slack while turning wheels to extreme position 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 25. Fire wall for condition 75. Seatbelts - functioning a 26. Window washer fluid level (and adequate winter washer fluid) 76. Seat adjustment mechai 27. Integrity of front subframe 77. All seats - condition 78. Door handles - operatio 78. Door handles - operatio 79. Electronic opening of all 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector. 31. Interior lighting - basic files. | and locking mechanism nisms - functioning (driver & passenger) n and condition | 125. Check the brake disks for integrity and potential oxidation 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 26. Window washer fluid level (and adequate winter washer fluid) 76. Seat adjustment mechai 77. All seats - condition 78. Door handles - operatio 79. Rear window integrity 79. Rear windows wiper rubber and handle 79. Electronic opening of all 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector. 31. Interior lighting - basis f | nisms - functioning (driver & passenger) | 126. Check the brake pads for integrity and proper attachment 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 27. Integrity of front subframe 77. All seats - condition 28. Rear window integrity 78. Door handles - operation 29. Rear windows wiper rubber and handle 79. Electronic opening of all 30. Rear bumper - condition and alignment 80. Exterior side mirrors - eadjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, lighting - basic features) 81. Interior lighting - basic features | n and condition | 127. Check the brake pads for thickness 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 28. Rear window integrity 78. Door handles - operation 29. Rear windows wiper rubber and handle 79. Electronic opening of all 30. Rear bumper - condition and alignment 80. Exterior side mirrors - eadjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, 81. Interior lighting - hasir f | | 128. Check the integrity of brake hoses (signs of cracks from dehydration, misshaping and leakages) |
| 29. Rear windows wiper rubber and handle 79. Electronic opening of all 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment 31. Tow hitch (attachment, removal mechanism, external light connector, 81. Interior lighting - hasir f | | misshaping and leakages) |
| 30. Rear bumper - condition and alignment 30. Rear bumper - condition and alignment adjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, 81. Interior lighting - basic f | l windows - functioning | |
| 30. Kear pumper - condition and alignment adjustment mechanism 31. Tow hitch (attachment, removal mechanism, external light connector, 81. Interior lighting - hasir f | | leakages) |
| 81 Interior lighting - hasic t | lectronic mirror controls, folding and | 130.lF FITTED: check the brake drums for audible signs of any issues while turning the wheels |
| thickness of connector) - functioning & condition | unctioning, damage | 131. IF FITTED: check the hand brake cables for integrity |
| 32. Trunk - visual damage 82. Armrest - operation and | condition | 132. Check for audible signs of any issues while turning the wheel |
| 33. Trunk - opening and holding mechanism 83. Front trims for condition | n | 133. Check for signs of vibration on rear of the wheel while turning at speed (check during Testdrive if any indication of problems) |
| 34. Automatic closure mechanism of trunk - functioning 84. Rear trims for condition | 1 | 134. Check for signs of vibration on rear of the wheel while turning at speed (check during Testdrive if any indication of problems) |
| 35. Integrity of rear bottom plate 85. Door trims for condition | n | 135. Check the drive shaft covers for proper attachment and integrity (mainly tearing) |
| 36. Fix new numberplate 86. Ceiling trims for condition | on | 136. Check for slack on stub axles |
| 37. Exterior mirrors - integrity of mirror itself and attachment to the car 87. Gear shift boot/skirt and | d Gear shift knob - condition | 137. Check the attachement and integrity of stub axles covers |
| 38. The state of the wheels 88. Parking brake for condit | tion | 138. Check for proper attachment and any slack |
| 39. Check body panel geometry 89. Floor mats for condition | n . | 139. Check the integrity of the springs (mainly for breaks) |
| 40. Car all along the left side - visual damage / scratches 90. Parcel shelf - operation | and condition | 140. Check the proper attachment of shock absorbers |
| 41. Car all along the right side - visual damage / scratches 91. Carpets in luggage area | - condition | 141. Check leakage of shock absorbers |
| 42. All 4 doors - proper opening and closing, handles working properly, etc. 92. Luggage compartment I | ights - functioning | $142.\mbox{Check}$ the functioning of the shock absorbers while putting pressure on the car |
| 43. Battery capacity 93. Test drive (performed if needed) | there are any indications that test drive is | 143. Check the engine mountings |
| 44. Battery connectors - integrity and oxidation 94. OBD reading | | 144. Check the integrity and proper attachment of the fuel tank |
| 45. Wiring integrity near battery 95. Satisfactory starting, ge | neral performance and the state of the vehicle | 145. Check for potential fuel tank leaks |
| 46. Battery properly fixed in the car 96. Check key components system, radiator, main hose | for integrity and proper attachment: air intake s, cables and connectors | 146. Check for integrity of visible fuel lines (should not scrub against any part and should be properly fixed near fuel pump) |
| | integrity (cracks and dehydration signs) | 147. Check the integrity and proper attachment of exhaust system |
| 48. Locking mechanism on all doors and trunk including fuel hatch- functioning 98. Check drive (V-) belt for | | 148. Check for leakages all along the exhaust system |
| - | i-) belt for integrity (cracks and dehydration | 149. IF ANY SIGNS OF REMOVAL: check presence of DPF filter or catalytic converter |
| 50. Fuel filler system - functioning 100. Check serpentine (mul | Iti-) helt for tension | |

Stock ID: N526608